

Copyright is owned by the Author of the thesis. Permission is given for a copy to be downloaded by an individual for the purpose of research and private study only. The thesis may not be reproduced elsewhere without the permission of the Author.

Dispersal: the effects of phenotype and habitat selection in reintroduced populations



A thesis presented in partial fulfilment of the requirements
for the degree of

Doctor of Philosophy
in
Conservation Biology

at Massey University,
Manawatū, New Zealand.

Kate Mackinnon Richardson

2015

Abstract

Dispersal is a complex behaviour, recognised as the primary mechanism by which gene flow occurs. In the field of reintroduction biology, dispersal can influence reintroduction success both positively and negatively, yet the mechanisms underpinning dispersal in reintroduced populations are not well understood.

Extensive literature is now available on the proximate forces driving natal dispersal, and in this thesis I draw on this field to inform our understanding of dispersal processes in reintroduced populations. It is widely accepted that both internal state (phenotype) and the external environment have multi-causal effects on natal dispersal patterns across three recognised phases of movement (departure, exploration, settlement), but the relationship to post-release dispersal is less well understood. I use reintroduced populations of an endangered passerine, the hihi (stitchbird, *Notiomystis cincta*), to answer specific research questions regarding the proximate factors driving both post-release and natal dispersal in this species.

I first examine phenotypic variation in behavioural traits (personality) in my study species, in particular the effects of early natal nutrition on the expression of personality, and the influences on subsequent survival and dispersal. I find complex relationships between natal nutrition and personality that are sex-specific, and that “bold” individuals have higher survival probabilities. I find evidence for a relationship between personality and natal dispersal patterns in one study population, but not in another.

I then examine the influence of internal state (personality, early natal nutrition and

degree of inbreeding) on post-release dispersal of newly translocated hihi at two sites, and find that all of these factors affect dispersal behaviour in the initial post-release and exploration phases.

I then examine the role of the external environment on both natal and post-release dispersal using species distribution models. There is a strong social effect in habitat selection of natal dispersers, but no detectable social effect in habitat selection of post-release dispersers, and evidence for use of physical characteristics of the environment in habitat selection at both stages.

Finally, I discuss the wider implications of dispersal to reintroduction biology. I advocate for careful consideration of proposed release sites, and an integrated landscape approach within reintroduction planning.

*This thesis is dedicated to the female hihi of
Alberts 9 and MPD 1 – free (unbanded) spirits
until the end.*

Table of Contents

ABSTRACT	I
ACKNOWLEDGEMENTS	VII
CHAPTER 1: INTRODUCTION	1
DISPERSAL LITERATURE: FROM EARLY STUDIES TO RECENT ADVANCES	2
RELEVANCE OF THE DISPERSAL LITERATURE TO REINTRODUCTION BIOLOGY	5
CASE STUDY: DISPERSAL BEHAVIOUR IN A REINTRODUCED PASSERINE	8
THESIS OUTLINE	9
COMMENT ON STATISTICAL ANALYSES IN THIS THESIS	12
CHAPTER 2: PERSONALITY IN HIHI: THE ROLE OF THE EARLY ENVIRONMENT AND INFLUENCE ON LIFE HISTORY TRAITS	13
ABSTRACT	14
INTRODUCTION	15
METHODS	18
RESULTS	25
DISCUSSION	30
CHAPTER 3: MULTIPLE INFLUENCES IN POST-RELEASE DISPERSAL OF A REINTRODUCED PASSERINE	37
ABSTRACT	38
INTRODUCTION	39
METHODS	42
RESULTS	53
DISCUSSION	60
CHAPTER 4: HABITAT SELECTION IN A REINTRODUCED POPULATION: SOCIAL EFFECTS DIFFER BETWEEN NATAL AND POST-RELEASE DISPERSAL	75
ABSTRACT	76
INTRODUCTION	77
METHODS	79
RESULTS	87
DISCUSSION	91
CHAPTER 5: NATAL DISPERSAL PATTERNS IN AN ESTABLISHING REINTRODUCED HIHI (<i>NOTIOMYSTIS CINCTA</i>) POPULATION.....	97
ABSTRACT	98
INTRODUCTION	99
METHODS	101
RESULTS	108
DISCUSSION	110
CHAPTER 6: CONSIDERING DISPERSAL IN REINTRODUCTION AND RESTORATION PLANNING	117
ABSTRACT	118
INTRODUCTION	119
SELECTING APPROPRIATE SITES FOR THE TARGET SPECIES	121
INTEGRATED LANDSCAPE MANAGEMENT.....	130

BALANCING SHORT-TERM ESTABLISHMENT AND LONG-TERM SUSTAINABILITY	132
CONCLUSIONS	133
ACKNOWLEDGEMENTS	134
CHAPTER 7: SYNTHESIS AND FUTURE DIRECTIONS.....	135
DISPERSAL IN REINTRODUCED POPULATIONS - ADVANCES IN KNOWLEDGE AND REMAINING GAPS.....	135
IMPLICATIONS FOR HIHI REINTRODUCTIONS	137
IMPLICATIONS FOR REINTRODUCTION BIOLOGY	139
APPENDIX A: BREEDING SEASON REPORT TO HIHI RECOVERY GROUP FOR HIHI AT MAUNGATAUTARI, 2010/11 AND 2011/12.	143
APPENDIX B: BREEDING SEASON SUMMARY TO HIHI RECOVERY GROUP FOR HIHI AT MAUNGATAUTARI, 2012/13.	149
APPENDIX C: RECORD OF FEMALE SURVIVAL AND RECRUITMENT IN HIHI AT MAUNGATAUTARI ECOLOGICAL ISLAND, 2009/10 TO 2012/13, AND ESTIMATES OF λ (POPULATION GROWTH RATE). ...	151
REFERENCES	153

Acknowledgements

Where to start? The list of people who have contributed in some way to the completion of this thesis is long, and I will start by offering up an apology to those that I will inevitably miss.

To my supervisors, Doug Armstrong, John Ewen and Isabel Castro, for your unending and unwavering support, and for always being on hand to answer questions and offer advice – I couldn't have done it without you, and I can't think of a better team of supervisors I could have worked with. Doug: thank you for your constant support, patience, ability to gently pull me back on track without me noticing, and your willingness to always readily assist during my Palmy visits regardless of your other commitments. The chocolate, muffins, and occasional loans of lunch have been appreciated also! John: for the enormous amount of time and energy you have contributed to not only to my thesis but to Maungatautari hihi in general, and for always being available and accessible despite being the furthest away! Isabel: for introducing me to the world of hihi in the first place (8 years ago now!).

To the Maungatautari whānau: a long list indeed. Chris Smuts-Kennedy first introduced me to the site, and oversaw the monitoring and banding of hihi in the first year after release. To the MEIT staff and volunteers who helped in the field, assisted with logistics and/or generally made my project possible – a heartfelt thank you to you all, in particular Paul Quinn and Rod Millar for going above and beyond to help the hihi project run more efficiently, and to Chris Smuts-Kennedy, Gemma Green, Ally Tairi, Mark Lammas, Craig Laxon and Lance Tauroa. To the MEIT pest team (aka the mouse boys) – James Matthews, Piers Griffiths-Jones, Ben Pattinson-Yorke, Will Telford, Johnny Broughton, Neil Omundsen, Paul Quinn – thanks for allowing me to convert you to team hihi, for the rides/drop-offs, tips about short-cuts, and for the (accurate) band combinations and hihi sightings (James, I still don't believe you saw one on Oreipunga Road). Bryan Jenkins deserves special acknowledgement for a beautifully built cage for the personality tests. John Polstra provided ATV training to myself and volunteers, and Tony Rolley 4WD training.

Paul and Leanne: a heartfelt thank you for opening your home to the hihi team, and for starting the venerable tradition that became Friday dessert nights.

Lydia Doerr: a special acknowledgement for being there from almost the beginning, and for continuing on the good work after I left. I couldn't have asked for a more dedicated or skilled hihi field assistant, and I am grateful for your friendship and assistance throughout to share the ups and downs (literally!) of hihi work on the maunga.

Numerous volunteers assisted in the field throughout the course of this project. I would like to especially acknowledge Rob Pickles for assistance with radio tracking in 2011, Scott Freeman for assisting with territory mapping and mistnetting in 2011/12, and the Tiritiri Matangi translocation team in 2011, in particular Neil Fitzgerald for patiently teaching me to attach hihi transmitters. Thanks also to Landcare Research Hamilton for donation of 7 transmitters. Out in the Styx provided accommodation when all else failed – a big thank you to Lance and Mary Hodgson.

To the Maungatautari landowners who gave access across their land to the site: Albert and Elwyn Andree-Wiltens, Bill and Sue Garland, John and Penny Scott, Gary and Adele Saywell, Tao and Carol Tauroa, Sharon Brown, Leon and Kate Ramsay, Bruce and Bev Dean. Ngāti Korokī Kahukura, Ngāti Hauā, and Raukawa iwi, and the MEIT Biodiversity Management Committee for permission to carry out research on the maunga.

To the hihi research team: Leila Walker assisted with personality tests in 2011 and field work at Maungatautari, and willingly shared her data from the natal nutrition experiments. Patricia Brekke for genotyping of all Maungatautari-bred hihi, provision of pedigree-based inbreeding coefficients for analysis, and allowing me to drag her up Albert's gully (sorry!). Kevin Parker has been involved throughout – from discussions of early ideas about dispersal, translocations and personality, to assisting in the design of the personality tests and managing the 2011 translocation – thank you for being ever willing to listen and respond to my many questions, provide sound advice, and for only suggesting I live in a tent once (you're almost forgiven!). Leila Walker, Patricia Brekke and Troy Makan all provided useful feedback on draft chapters.

On Tiritiri Matangi: Dave Jenkins and Daryl Stephens for always making trips to the island as easy and enjoyable as possible, and for helping facilitate field work on the island. Ngātiwai, Ngāti Manuhiri, Ngāti Rehua and Ngāti Paoa for permission to conduct field work on Tiritiri Matangi. Supporters of Tiritiri Matangi (SOTM): thank you for your support, enthusiasm, and involvement with field work (special mention to Morag Fordham, Alison and Roger Bray, Yuki, John Stewart and Kay Milton who all made the trip down to Maungatautari to assist with field work at various times). Thanks

to John Ewen for use of the Tiritiri Matangi data, and all those involved in collecting it over the years.

At Massey University: to the Ecology Group, and in particular those I've shared office space with along the way – Liz Parlato, Emma Williams, Nic Gorman, Kyle Morrison, Julia Panfylova, and Faline Drummond. Paul Barrett for organising and sending gear my way.

Thanks to Brent Beaven at DOC for granting me leave to finally complete this thesis, and the DOC Rakiura team for covering my workload in my absence.

A special thank you to the Hihi Recovery Group for supporting my research, and particular acknowledgement to NZ Safety Ltd, the sponsor of the group, for covering the cost of transmitters in 2011. I would also like to acknowledge funding from the Zoological Society of London, JS Watson Trust, and the Massey University Doctoral Scholarship. The opportunity to attend AniMove at the Max Planck Institute in 2013 allowed me to develop spatial analysis skills and contributed to the analysis carried out in Chapter 4.

To my family, for your patience and support throughout the journey, particularly to my mum and dad for becoming passionate hihi supporters, and especially for the logistical support in the early days of field work.

And finally, to the Maungatautari hihi – may you live long and prosper.